

11018: 6" Remodel IC Airtight Housing



Specification Images:

Dimensions:

 Diameter:
 7 3/16"

 Length:
 13 15/16"

 Height:
 8 7/16"

 Weight:
 1 lbs.

Features:

Easily converts to LED with optional replacement lamps

•

Material List:

1 Housing - Steel - Raw Steel

Safety Listing:

Safety Listed for Damp Locations / IC Safety Listed for Damp Locations / IC

Collection: Recessed Lighting

Remodel IC Airtight 6" Housing

Trims: 11032AT, 11037AT, 11038AT, 11045AT, 11020AT, 11033AT, 11034AT, 11035AT, 1136AT, 11039!T, 1151AT, 1154AT, 11055AT

Safe-Thermally Protected/Listed for Damp Location: IC housing is approved for use in direct contact with insulation.

Easy Access Housing: Housing removable for easy access to junction box.

Sealed Trim: One piece sealed trims. No light leaks.

Snap-In Socket: Snap in socket locates lamp in optimum position.

Time-Saving Junction Box Design: Junction box saves installation time with snap-on covers, pry-out knock-outs, riveted ground wire, and through-circuit wiring, with 2-in, 2-out #12 wire.

Easy Installation: Provided with mounting clips for fast, easy installation.

Airtight Construction: Meets airtight requirements for 2.0 CFM or less air leakage

UPC #:785652110184

Finish: Not Applicable ()

Shipping Information:

Package Type	Product #	Quantity	UPC	Length	Width	Height	Cube	Weight	Frt. Class	UPS Ship
Individual	11018	1	785652110184	21	7	8	0.681	1.5	175	Yes
Master Pack		6	10785652110181	21.5	20.5	9	2.296	11.5	175	Yes
NJ Pallet		192		48	40	75	83.333	368		No
NV Pallet		192		48	40	75	83.333	368		No

Sea Gull Lighting reserves the right to revise the design of components of any product due to parts availability or change in safety listing standards without assuming any obligation or liability to modify any products previously manufactured and without notice. This literature depicts a product design that is the sole and exclusive property of Sea Gull Lighting. In compliance with U.S copyright and patent requirements, notification is hereby presented in this form that this literature, or the product it depicts, is not to be copied, altered or used in any manner without the express written consent of, or contrary to the best interests of Sea Gull Lighting Ties. A Generation Brands Company.

Trim









11020AT-15 RECESSED TRIM

White Steel Trim Maximum Wattage: 75w PAR30L 65w BR30 15w PAR30L 15w BR30 11032AT-14 6" Multiplier Trim

18w BR40

White Trim / Baffle Aluminum Trim Maximum Wattage: 50w PAR30S 75w PAR30 90w PAR38 65w BR30 90w BR40 15w PAR30L 18w PAR38 15w BR30 11032AT-172

6' Multiplier Trim

Antique Bronze Aluminum Aluminum Multiplier White Aluminum Trim Maximum Wattage: 50w PAR30S 55w PAR30 90w PAR30 65w BR30 90w BR40 15w PAR30L 18w PAR3BL 18w PAR3BL 18w PAR3BL 18w PAR3BL 18w BR40

11032AT-22 RECESSED TRIM

Polished Aluminum Aluminum Aluminum Multiplier

White Aluminum Trim Maximum Wattage: 50w PAR30S 75w PAR30 90w PAR38 65w BR30 90w BR40 15w PAR30L 15w PAR30L 18w BR30 15w BR30









11032AT-71 RECESSED TRIM

Antique Bronze Aluminum Aluminum Multiplier Antique Bronze Aluminum Trim Maximum Wattage: 50w PAR30S 75w PAR30 00w PAR38

75w PAR30 90w PAR38 65w BR30 90w BR40 15w PAR30L

15w PAR30L 18w PAR38 15w BR30 18w BR40 11032AT-849 RECESSED TRIM

18w BR40

Satin Nickel Aluminum Trim Maximum Wattage: 50w PAR30S 75w PAR30 90w PAR38 65w BR30 90w BR40 15w PAR30L 18w PAR30L 18w PAR30 11032AT-861 RECESSED TRIM

Satin Nickel - White Aluminum Aluminum Multiplier White Aluminum Trim Maximum Wattage:

Maximum Wattage: 50w PAR30S 75w PAR30 90w PAR38 65w BR30 90w BR40 15w PAR30L 18w PAR38 15w BR30 18w BR40 11033AT-15

6" Flat Glass Shower Trim Satin White Glass Diffuser White Aluminum Reflector White Aluminum Trim Maximum Wattage: 40w 419

8w A19 Suitable For Shower Light



11034AT-15 RECESSED TRIM

Satin White Glass Diffuser White Aluminum Reflector White Aluminum Trim Maximum Wattage: 40w A19 8w A19 Suitable For Shower Light

11035AT-15 RECESSED TRIM

Satin White Glass Diffuser White Aluminum Reflector White Steel Trim Maximum Wattage: 40w A19 8w A19 Suitable For Shower Light 11037AT-15 6" Regressed Eyeball Trim

White White Steel Trim Maximum Wattage 75w PAR30L 65w BR30 15w PAR30L 11039AT-15 6" Wall Wash Trim White Steel Housing White Steel Trim Maximum Wattage: 40w A19 8w A19









11055AT-15 6" Fresnal Glass Shower T

Clear Glass Lens White Aluminum Reflector White Aluminum Trim Maximum Wattage: 40w A19 8w A19 Suitable For Shower Light 1136AT-15 6" Eyeball Trim

White White Steel Trim Maximum Wattage: 75w PAR30L 65w BR30 15w PAR30L 15w BR30

1151AT-14 6" Baffle Trim

White Trim / Baffle Aluminum Trim White Trim / Baffle / Maximum Wattage: 50w PAR30S 75w PAR30L 90w PAR38 65w BR30 90w BR40 15w PAR30L 18w PAR38 15w BR30 18w BR40

1151AT-15

RECESSED TRIM

Black Aluminum Baffle White Aluminum Trim White Aluminum Tri Maximum Wattage: 50w PAR30S 75w PAR30L 90w PAR30 65w BR30 90w BR40 15w PAR30L 18w PAR30L 18w PAR38 15w BR30 18w BR40



1154AT-14

6" Open Cone Shower Trim

6" Open Cone Shower Trim
White Trim / Baffle Aluminum Baffle
White Trim / Baffle Aluminum Trim
Maximum Wattage:
50w PAR30S
75w PAR30S
90w PAR38
15w PAR30L
18w PAR30L
18w PAR30S
15w BR30
Suitable For Shower Light