



**11028QC: 6" New Construction IC Airtight Housing with "Quick Connects"**



**Specification Images:**



**Dimensions:**

- Diameter:** 6 3/8"
- Length:** 13 1/2"
- Width:** 10 3/4"
- Height:** 7 7/8"
- Weight:** 2.2 lbs.

**Features:**

- Easily converts to LED with optional replacement lamps
- Meets Title 24 energy efficiency standards

**Material List:**

1 Housing - Steel / Aluminum - Raw Steel

**Safety Listing:**

Safety Listed for Damp Locations / IC  
 Safety Listed for Damp Locations / IC

**Instruction Sheets:**

Bilingual (English - French) (HC-438FB)

**Collection:** Recessed Lighting

New Construction Airtight IC Housing with Quick Connects

IC housing is approved for use in direct contact with insulation

Housing adjusts vertically for various ceiling thicknesses

Break-away bar hangers easily extend and will not fall out of plaster flange, providing sturdy installation

Snap-In Socket locates lamp in optimum location

No clips required. Secure bar hanger to T-Bars with wires or screws

Tab to locate on bottom of joist

Meets airtight requirements for 2.0 CFM or less air leakage

Junction box with integral romex connector, quick push and lock connector and through circuit wiring with 4 in, 4 out #12 wire, saves installation time.

The hinged junction box door allows full access for wiring while remaining attached to the recess housing

Tighten screw to lock bar hangers in place

Integral captive nails included and positioned for fast, easy installation

One piece sealed trims. No light leaks

**UPC #:**785652110290

**Finish:** Not Applicable ( )

**Shipping Information:**

Package Type	Product #	Quantity	UPC	Length	Width	Height	Cube	Weight	Fr. Class	UPS Ship
Individual	11028QC	1	785652110290	14.3	9.3	8	0.616	2.26	125	Yes
Master Pack		6	10785652110297	25.25	18.5	8.75	2.365	15.686	125	Yes
NJ Pallet		192		48	40	77	85.556	502		No
NV Pallet		192		48	40	77	85.556	502		No

Trim



11020AT-15  
**RECESSED TRIM**  
White Steel Trim  
Maximum Wattage:  
75w PAR30L  
65w BR30  
13.5w A19  
15w PAR30L  
15w BR30



11032AT-14  
**6" Multiplier Trim**  
White Trim / Baffle Aluminum Trim  
Maximum Wattage:  
50w PAR30S  
75w PAR30  
90w PAR38  
65w BR30  
90w BR40  
13.5w A19  
15w PAR30L  
18w PAR38  
15w BR30  
18w BR40



11032AT-172  
**6" Multiplier Trim**  
Antique Bronze Aluminum Aluminum Multiplier  
White Aluminum Trim  
Maximum Wattage:  
50w PAR30S  
75w PAR30  
90w PAR38  
65w BR30  
90w BR40  
13.5w A19  
15w PAR30L  
18w PAR38  
15w BR30  
18w BR40



11032AT-22  
**RECESSED TRIM**  
Polished Aluminum Aluminum Aluminum Multiplier  
White Aluminum Trim  
Maximum Wattage:  
50w PAR30S  
75w PAR30  
90w PAR38  
65w BR30  
90w BR40  
13.5w A19  
15w PAR30L  
18w PAR38  
15w BR30  
18w BR40



11032AT-71  
**RECESSED TRIM**  
Antique Bronze Aluminum Aluminum Multiplier  
Antique Bronze Aluminum Trim  
Maximum Wattage:  
50w PAR30S  
75w PAR30  
90w PAR38  
65w BR30  
90w BR40  
13.5w A19  
15w PAR30L  
18w PAR38  
15w BR30  
18w BR40



11032AT-849  
**RECESSED TRIM**  
Satin Nickel Aluminum Trim  
Maximum Wattage:  
50w PAR30S  
75w PAR30  
90w PAR38  
65w BR30  
90w BR40  
13.5w A19  
15w PAR30L  
18w PAR38  
15w BR30  
18w BR40



11032AT-861  
**RECESSED TRIM**  
Satin Nickel - White Aluminum Aluminum Multiplier  
White Aluminum Trim  
Maximum Wattage:  
50w PAR30S  
75w PAR30  
90w PAR38  
65w BR30  
90w BR40  
13.5w A19  
15w PAR30L  
18w PAR38  
15w BR30  
18w BR40



11033AT-15  
**6" Flat Glass Shower Trim**  
Satin White Glass Diffuser  
White Aluminum Reflector  
White Aluminum Trim  
Maximum Wattage:  
40w A19  
8w A19  
Suitable For Shower Light



11034AT-15  
**RECESSED TRIM**  
Satin White Glass Diffuser  
White Aluminum Reflector  
White Aluminum Trim  
Maximum Wattage:  
40w A19  
8w A19  
Suitable For Shower Light



11035AT-15  
**RECESSED TRIM**  
Satin White Glass Diffuser  
White Aluminum Reflector  
White Steel Trim  
Maximum Wattage:  
40w A19  
8w A19  
Suitable For Shower Light



11037AT-15  
**6" Regressed Eyeball Trim**  
White  
White Steel Trim  
Maximum Wattage:  
75w PAR30L  
65w BR30  
15w PAR30L  
15w BR30



11039AT-15  
**6" Wall Wash Trim**  
White Steel Housing  
White Steel Trim  
Maximum Wattage:  
40w A19  
8w A19



11055AT-15  
**6" Fresnal Glass Shower T**  
Clear Glass Lens  
White Aluminum Reflector  
White Aluminum Trim  
Maximum Wattage:  
40w A19  
8w A19  
Suitable For Shower Light



1136AT-15  
**6" Eyeball Trim**  
White  
White Steel Trim  
Maximum Wattage:  
75w PAR30L  
65w BR30  
13.5w A19  
15w PAR30L  
15w BR30



1151AT-14  
**6" Baffle Trim**  
White Trim / Baffle Aluminum Trim  
Maximum Wattage:  
50w PAR30S  
75w PAR30L  
90w PAR38  
65w BR30  
90w BR40  
13.5w A19  
15w PAR30L  
18w PAR38  
15w BR30  
18w BR40



1151AT-15  
**RECESSED TRIM**  
Black Aluminum Baffle  
White Aluminum Trim  
Maximum Wattage:  
50w PAR30S  
75w PAR30L  
90w PAR38  
65w BR30  
90w BR40  
13.5w A19  
15w PAR30L  
18w PAR38  
15w BR30  
18w BR40



1154AT-14  
**6" Open Cone Shower Trim**  
White Trim / Baffle Aluminum Baffle  
White Trim / Baffle Aluminum Trim  
Maximum Wattage:  
50w PAR30S  
75w PAR30L  
90w PAR38  
13.5w A19  
15w PAR30L  
18w PAR38  
15w BR30  
Suitable For Shower Light