

1115: 4" Remodel Non-IC Recessed Housing



Specification Images:

Dimensions:

 Diameter:
 4 1/16"

 Length:
 12"

 Height:
 5 5/8"

 Weight:
 1 lbs.

#### Features:

• Easily converts to LED with optional replacement lamps

•

#### **Material List:**

1 Housing - Steel - Raw Steel

1 Housing - Galvanized Steel - White Trim / Baffle

## Safety Listing:

Safety Listed for Damp Locations / Non-IC Safety Listed for Damp Locations / Non-IC

## Instruction Sheets:

English (A-724L)

Collection: Recessed Lighting

Non-IC 4" Housing Remodel

Safe-Thermally Protected: Thermal protector safeguards against overheating caused by improper insulating and overlamping.

Easy Access Housing: Housing removable for easy access to junction box.

Easy Installation: Provided with mounting clips for fast, easy installation.

Adjustable socket: Adjustable socket assembly provdes flexibility in lamping options.

Time-Saving Junction Box Design: Junction box saves installation time with snap-on covers, pry-out knock-outs, riveted ground wire, and through-circuit wiring, with 2-in, 2-out #12 wire.

Safe- Listed for Damp Location: Listed for use where insulation is kept at least 3" away from housing.

UPC #:785652111501

Finish: Not Applicable ( )

# Shipping Information:

| Package Type | Product # | Quantity | UPC            | Length | Width | Height | Cube  | Weight | Frt. Class | UPS Ship |
|--------------|-----------|----------|----------------|--------|-------|--------|-------|--------|------------|----------|
| Individual   | 1115      | 1        | 785652111501   | 16     | 5     | 6.5    | 0.301 | 1.4    | 85         | Yes      |
| Master Pack  |           | 6        | 10785652111508 | 17     | 14    | 7      | 0.964 | 11.8   | 85         | Yes      |
| NJ Pallet    |           | 420      |                | 48     | 40    | 72     | 80    | 826    |            | No       |
| NV Pallet    |           | 360      |                | 48     | 40    | 72     | 80    | 708    |            | No       |

Trim









11090AT-15 RECESSED TRIM

White Aluminum Reflector White Steel Trim Maximum Wattage: 8w PAR20 35w PAR20 Suitable For Shower Light

11091AT-15 4" Wall Wash Trim

White Steel Baffle White Aluminum Reflector White Steel Trim Maximum Wattage 35w PAR20 8w PAR20

11092AT-15

4" Shower Trim Frosted Glass Lens White Aluminum Reflector White Aluminum Trim Maximum Wattage: 35w PAR20 8w PAR20 Suitable For Shower Light

11094AT-14 RECESSED TRIM

White Trim / Baffle Aluminum Trim Maximum Wattage: 50w PAR20 8w PAR20 Suitable For Shower Light









1152AT-15

4" Frosted Glass Shower T

Frosted Glass Lens Polished Aluminum Aluminum Reflector White Steel Trim Maximum Wattage: 35w PAR20 8w PAR20 Suitable For Shower Light

1153AT-15

4" Fresnal Glass Shower T

Clear Glass Lens Polished Aluminum Aluminum Reflector White Steel Trim Maximum Wattage: 35w PAR20 8w PAR20 Suitable For Shower Light

White Trim / Baffle Steel Baffle

1156AT-14

8w PAR20

4" Baffle Trim

White Steel Trim

Maximum Wattage: 50w PAR20

1156AT-15

4" Baffle Trim

Black Steel Baffle White Steel Trim Maximum Wattage: 50w PAR20 8w PAR20







1162AT-14 4" Multiplier Trim

White Trim / Baffle Aluminum Aluminum Multiplier White Aluminum Trim Maximum Wattage: 50w PAR20 8w PAR20

1162AT-172 RECESSED TRIM

Antique Bronze - White Aluminum Reflector

White Steel Trim Maximum Wattage 50w PAR20 8w PAR20

1162AT-22 RECESSED TRIM

Polished Aluminum Aluminum Baffle White Aluminum Trim

Maximum Wattage: 50w PAR20 8w PAR20

1162AT-71 RECESSED TRIM

Antique Bronze Aluminum Reflector Antique Bronze Steel Trim Maximum Wattage: 50w PAR20 8w PAR20



1162AT-849 RECESSED TRIM

Satin Nickel Aluminum Reflector Satin Nickel Steel Trim Maximum Wattage: 50w PAR20 8w PAR20

1162AT-861 RECESSED TRIM

Satin Nickel - White Aluminum Reflector White Steel Trim Maximum Wattage: 50w PAR20 8w PAR20

1166AT-15 4" Eyeball Trim

White Steel Housing White Steel Trim Maximum Wattage: 8w PAR20 50w PAR20

Vist our web site at www.SeaGullLighting.com 1115 - page 3 of 3