



1179: 4" New Construction IC Airtight Recessed Housing



Specification Images:



Dimensions:

- Diameter:** 4 5/16"
- Length:** 13 7/16"
- Width:** 8 1/4"
- Height:** 5 13/16"
- Weight:** 1.5 lbs.

Features:

- Easily converts to LED with optional replacement lamps

Material List:

1 Housing - Steel -

Safety Listing:

Safety Listed for Damp Locations
 Safety Listed for Damp Locations

Collection: Recessed Lighting

4 Inch Line Voltage New Construction Airtight IC Rated Recessed Housing

Airtight Construction: Meets airtight requirements for 2.0 CFM or less air leakage.

Inner Housing: Double wall aluminum construction helps dissipate heat. The inner housing can be adjusted in the plaster frame to compensate for various ceiling thicknesses.

Socket: Fixed position porcelain socket with nickel plated brass screw shell provides consistent lamp positioning.

Quick Hit: Integral captive nails included and positioned for fast, easy installation.

Plaster Frame: Galvanized and steel construction. The housing can be removed from the plaster frame to provide access to the junction box. Plaster frame includes locking screws for hanger bars and cutouts for crimping hanger bars in position.

Bar Hanger: Break-away bar hangers easily extend and will not fall out of plaster flange, providing sturdy installation.

Listed for through branch circuit wiring. Positioned to accommodate straight conduct runs. Seven conduit knockouts are uniform 1/2" size with true pryout slots. Four Romex pryouts with integral strain relief also included.

Outer Housing: Aluminum construction helps dissipate heat.

Tab to locate on bottom of joist

UPC #:785652117909

Finish: Not Applicable ()

Shipping Information:

Package Type	Product #	Quantity	UPC	Length	Width	Height	Cube	Weight	Fr. Class	UPS Ship
Individual	1179	1	785652117909	8.5	6	5.38	0.159	1.71	93	Yes
Master Pack		6	10785652117906	22	17.75	7	1.582	16.32	93	Yes
NJ Pallet		240		48	40	74.25	82.5	594		No
NV Pallet		240		48	40	75	83.333	652		No

Trim



11090AT-15
RECESSED TRIM
White Aluminum Reflector
White Steel Trim
Maximum Wattage:
35w PAR20
8w PAR20



11091AT-15
4" Wall Wash Trim
White Steel Baffle
White Aluminum Reflector
White Steel Trim
Maximum Wattage:
35w PAR20
8w PAR20



11092AT-15
4" Shower Trim
Frosted Glass Lens
White Aluminum Reflector
White Aluminum Trim
Maximum Wattage:
35w PAR20
8w PAR20
Suitable For Shower Light



11094AT-14
RECESSED TRIM
White Trim / Baffle Aluminum Trim
Maximum Wattage:
50w PAR20
8w PAR20
Suitable For Shower Light



1152AT-15
4" Frosted Glass Shower T
Frosted Glass Lens
Polished Aluminum Aluminum Reflector
White Steel Trim
Maximum Wattage:
35w PAR20
8w PAR20
Suitable For Shower Light



1153AT-15
4" Fresnal Glass Shower T
Clear Glass Lens
Polished Aluminum Aluminum Reflector
White Steel Trim
Maximum Wattage:
35w PAR20
8w PAR20
Suitable For Shower Light



1156AT-14
4" Baffle Trim
White Trim / Baffle Steel Baffle
White Steel Trim
Maximum Wattage:
50w PAR20
8w PAR20



1156AT-15
4" Baffle Trim
Black Steel Baffle
White Steel Trim
Maximum Wattage:
50w PAR20
8w PAR20



1162AT-14
4" Multiplier Trim
White Trim / Baffle Aluminum Aluminum Multiplier
White Aluminum Trim
Maximum Wattage:
50w PAR20
8w PAR20



1162AT-172
RECESSED TRIM
Antique Bronze - White Aluminum Reflector
White Steel Trim
Maximum Wattage:
50w PAR20
8w PAR20



1162AT-22
RECESSED TRIM
Polished Aluminum Aluminum Baffle
White Aluminum Trim
Maximum Wattage:
50w PAR20
8w PAR20



1162AT-71
RECESSED TRIM
Antique Bronze Aluminum Reflector
Antique Bronze Steel Trim
Maximum Wattage:
50w PAR20
8w PAR20



1162AT-849
RECESSED TRIM
Satin Nickel Aluminum Reflector
Satin Nickel Steel Trim
Maximum Wattage:
50w PAR20
8w PAR20



1162AT-861
RECESSED TRIM
Satin Nickel - White Aluminum Reflector
White Steel Trim
Maximum Wattage:
50w PAR20
8w PAR20



1166AT-15
4" Eyeball Trim
White Steel Housing
White Steel Trim
Maximum Wattage:
50w PAR20
8w PAR20

