

ALL-IN-ONE KITCHEN SET / KCA-1102

Dual Mount Single Bowl Stainless Steel Kitchen Sink, Commercial Pull-Down Faucet in Stainless Steel Finish, Stainless Steel Grid, Stainless Steel Strainer

Kräus®

SPECIFICATION SHEET

INCLUDED WITH COMBO

- Faucet KPF-1610SS
- Kitchen Sink KHT400-33
- Strainer ST-1
- Grid Model No. KBG-T400-33
- Installation Template
- Mounting Hardware

SINK FEATURES

- 18 Gauge Stainless Steel Construction
- Dual Mount Single Bowl Sink
- Required Minimum Cabinet Size: 36"
- 3 1/2" Drain Opening

FAUCET FEATURES

- Solid Brass Construction
- Single Hole Mounting
- 180° Swivel Spout
- Pull Down
- 1.8gpm Flow Rate
- Spray and Stream Functions

GRID FEATURES

- Commercial grade Stainless Steel Construction
- Protects bottom of sink from daily wear and tear
- Rubber feet provide additional protection

STRAINER FEATURES

- Premium Stainless Steel construction
- Fits Standard 3 1/2" or 4" Drain Opening
- Open/Close Stopper Prevents Debris from Clogging Drain Pipe


CODES/STANDARDS:

Sink Certification

cUPC (ASME A112.19.3/CSA B45.4)

Faucet Certification

cUPC, ASME A112.18.1/CSA B125.1, NSF/ANSI Standard 61 certified by IAPMO, NSF/ANSI Standard 372 certified by IAPMO, MASS, CEC, DOE, ADA



Kraus Lifetime Limited Warranty:
See website for details www.kraususa.com

Kraus USA Customer Service
1.800.775.0703 | customerservice@kraususa.com

REV. June 30, 2019

KPF-1610

Single Handle Commercial Style Pull Down Kitchen Faucet

Faucet Dimensions

Overall Height: 18"
 Spout Height: 6 3/8"
 Spout Reach: 8 3/4"

Features

- Commercial Style Pull Down Faucet
- Metal Body
- ABS Sprayer
- Lead Free Braided Nylon Waterway
- 180° Swivel Spout
- Flow Rate: 1.8 gpm (6.8L/min) @ 60 psi
- Dual Function Sprayhead - Spray/Stream
- Silicone Nozzles
- 35mm Ceramic Cartridge
- 26.5" Integrated Nylon Waterlines
- Dome Shaped Screen Washer
- Quick Weight
- Quick Connect Sprayer Hose
- 16" Hose Length
- Connections 3/8" Compression
- Max Deck Thickness: 1 1/2"
- TPI of aerator in the Sprayer - M24*1

Accessories Included

- Weight
- Hex Wrench

Available Finishes

- Chrome
- Matte Black
- Stainless Steel
- Stainless Steel/Chrome
- Stainless Steel/Matte Black
- Matte Black/Black Stainless
- Brushed Gold
- Spot Free Antique Champagne Bronze
- Spot Free Antique Champagne Bronze/Matte Black

CODES/STANDARDS:

Product Certification

cUPC (ASME A112.18.1/CSA B125.1)
 NSF/ANSI Standard 61 and 372 certified by IAPMO
 AB1953, EPA, MASS, FTC, DOE, CEC, ADA


NOTE: Some Kitchen Faucets that do not have a pull out or pull down sprayer may be connected to a portable dishwasher. Pull out and pull down faucets should never be connected to portable dishwashers because potential pressure fluctuations during washing cycles cause hose ruptures or leaks.

Warranty

Kraus Limited Lifetime Warranty
 see website for details www.kraususa.com

Kraus USA Customer Service

1.800.775.0703 | customerservice@kraususa.com



ST-1

Stainless Steel Kitchen Sink Strainer

Strainer Dimensions

Overall Dimensions: $\phi 4 \frac{1}{2}''$ x $3 \frac{3}{4}''$

Features

- Premium Stainless Steel construction
- Fits Standard $3 \frac{1}{2}''$ or $4''$ Drain Opening
- Open/Close Stopper Prevents Debris from Clogging Drain Pipe

Available Finishes

- Stainless Steel



Warranty

Kraus Limited Lifetime Warranty

see website for details www.kraususa.com

