

## Large Track Head For AC LED Track

Ceiling mounted • Dry location listed



### Description:

P900001-028-27 Track Heads are compatible with the P900003-028-27 Track Kits. These AC LED Track Heads can be added to a track kit to provide more light when needed. They are 2700K color temperature with a 90+ CRI.

### Specifications:

- Satin White (-028) (painted)
- Die Cast Aluminum construction
- Frosted glass lens
- 120V AC LED Track Head
- Additional LED track heads for the P900003-028-27 track kits
- Use when more track heads are needed for additional light
- Measures 3-1/4in w and 7-1/2in ht.
- 14.5w LED with 797 lumens, 90+ CRI and 2700K
- Flicker free dimming down to 10% with many Triac or reverse phase dimmers
- ENERGY STAR and JA8 Title 24 compliant
- Dimmable to 10% brightness (See Dimming Notes)
- ENERGY STAR® qualified
- Meets California Title 24 JA8-2016

### Performance:

Number of Modules	1
Input Power	14.5w
Input Voltage	120 V
Input Frequency	60 Hz
Lumens/LPW (Source)	
Lumens/LPW (Delivered)	797/55 (LM-79)
CCT	2700 K
CRI	90+ CRI
Life (hours)	50,000 (L70/TM-21)
FCC	
Min. Start Temp	-30 °C
Max. Operating Temp	30 °C
Warranty	5 year warranty
Labels	cETLus Dry location listed ENERGY STAR® qualified Meets California Title 24 JA8-2016

## P900001-028-27

### Images:



### Dimensions:

Width: 3-1/4"  
Depth: 3-1/4"  
Height: 7-1/2"

**P900001-028-27****Dimming Notes:**

---

P900001 is designed to be compatible with many Triac/Forward Phase or ELV/Reverse Phase controls.

The following is a partial list of known compatible dimmer controls.

**Dimming Controls**

---

Lutron NTELV-300

Lutron DVCL-253P

Lutron Caseta

Leviton 6672

Leviton 6674

Lutron AYLV-600P

Lutron NTLV-600

Lutron MAELV-600

Lutron AWRMG-EAW

Lutron N-602

Dimming capabilities will vary depending on the dimmer control, load, and circuit installation. Always refer to dimmer manufacturer instructions or a controls specialist for specific requirements.

Dimmer control brand names where identified above are trade names or registered trademarks of each respective company.