

Fixture Type: \_\_\_\_\_

Catalog Number: \_\_\_\_\_

Project: \_\_\_\_\_

Location: \_\_\_\_\_

## Charmed Chandelier 3000K

Model & Size	Color Temp & CRI	Finish	Watt	LED Lumens	Delivered Lumens	Title 24
PD-54924 24"	3000K 90	BN Brushed Nickel	37W	3000	2000	Yes
	3000K 90	SG Soft Gold	37W	3000	2000	Yes

Example: **PD-54924-BN**

### DESCRIPTION

Radiance. Elegance defined

### FEATURES

- Thin powered aircraft cables provide an ultra-clean look
- Can be mounted on a sloped ceiling
- Driver concealed within the canopy
- 5 year warranty

### SPECIFICATIONS

<b>Color Temp:</b>	3000K
<b>Input:</b>	120-277 VAC, 50/60Hz
<b>CRI:</b>	90
<b>Dimming:</b>	ELV: 100 - 10%, 0-10V: 100 - 10%, TRIAC: 100 - 10%
<b>Rated Life:</b>	54000 Hours
<b>Standards:</b>	ETL, cETL, Title 24 JA8-2016 Compliant Damp Location Listed
<b>Construction:</b>	Classic chain-link aluminum body design with composite diffuser.




### FINISHES



Brushed Nickel      Soft Gold

### LINE DRAWING



PD-54924

Fixture Type: \_\_\_\_\_

Catalog Number: \_\_\_\_\_

Project: \_\_\_\_\_

Location: \_\_\_\_\_

## Charmed Chandelier 3000K

Model & Size	Color Temp & CRI	Finish	Watt	LED Lumens	Delivered Lumens	Title 24
PD-54932 32"	3000K 90	BN Brushed Nickel	94W	6400	4230	Yes
	3000K 90	SG Soft Gold	94W	6400	4230	Yes

Example: **PD-54932-BN**

### DESCRIPTION

Radiance. Elegance defined

### FEATURES

- Thin powered aircraft cables provide an ultra-clean look
- Can be mounted on a sloped ceiling
- Driver concealed within the canopy
- 5 year warranty

### SPECIFICATIONS


<b>Color Temp:</b>	3000K
<b>Input:</b>	120-277 VAC, 50/60Hz
<b>CRI:</b>	90
<b>Dimming:</b>	ELV: 100 - 10%, 0-10V: 100 - 10%, TRIAC: 100 - 10%
<b>Rated Life:</b>	54000 Hours
<b>Standards:</b>	ETL, cETL, Title 24 JA8-2016 Compliant Damp Location Listed
<b>Construction:</b>	Classic chain-link aluminum body design with composite diffuser.



### FINISHES



### LINE DRAWING



PD-54932

Fixture Type: \_\_\_\_\_

Catalog Number: \_\_\_\_\_

Project: \_\_\_\_\_

Location: \_\_\_\_\_

## Charmed Chandelier 3000K

Model & Size	Color Temp & CRI	Finish	Watt	LED Lumens	Delivered Lumens	Title 24
PD-54934 32"	3000K 90	BN Brushed Nickel	112W	8000	5210	Yes
	3000K 90	SG Soft Gold	112W	8000	5210	Yes

Example: **PD-54934-BN**

### DESCRIPTION

Radiance. Elegance defined

### FEATURES


- Thin powered aircraft cables provide an ultra-clean look
- Can be mounted on a sloped ceiling
- Driver concealed within the canopy
- 5 year warranty

### SPECIFICATIONS


<b>Color Temp:</b>	3000K
<b>Input:</b>	120-277 VAC, 50/60Hz
<b>CRI:</b>	90
<b>Dimming:</b>	ELV: 100 - 10%, 0-10V: 100 - 10%, TRIAC: 100 - 10%
<b>Rated Life:</b>	54000 Hours
<b>Standards:</b>	ETL, cETL, Title 24 JA8-2016 Compliant Damp Location Listed
<b>Construction:</b>	Classic chain-link aluminum body design with composite diffuser.



### FINISHES



### LINE DRAWING



PD-54934